04-04-01

§

§

§

§

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE § PPLICATION OF: § Dr. Shiyou Li

ATTY DKT NO. 44980-00005

GROUP ART UNIT: 1614

EXAMINER: Unassigned

ECENED APR OF 2001

AND RELATED COMPOUNDS, FROM **PLANTS**

TITLE: A SYSTEM FOR INCREASING THE

PRODUCTION OF INDOLE AND **OUINOLINE ALKALOIDS,**

PARTICULARLY CAMPTOTHECINS

Commissioner for Patents Washington, D.C. 20231

SERIAL NO. 09/696042

FILED: October 25, 2000

TRANSMITTAL OF INFORMATION DISCLOSURE STATEMENT WITHIN THREE MONTHS OF FILING OR BEFORE MAILING OF FIRST OFFICE ACTION

The information disclosure statement submitted herewith is being filed within three months of the filing date of the application or date of entry into the national stage of an international application or before the mailing date of a First Office Action on the merits, whichever event occurs last. 37 CFR 1.97(b).

Dated: April 2, 2001

JENKENS & GILCHRIST

A Professional Corporation

1445 Ross Avenue, Suite 3200

Dallas, Texas) 75202-2799

Alan R. Thiele, Regis. No. 30,694

Patent Attorney

Tel. (210) 246-5657

Fax (210) 246-5999

CERTIFICATE OF MAILING BY EXPRESS MAIL **UNDER 37CFR1.10**

I hereby certify that this paper (and attachments) is being deposited with the U.S. Postal Service "Express Mail Post Office to Addressee" service, "EXPRESS MAIL" Mailing Label No. EL505155612US on the date indicated below and is addressed to Commissioner for Patents, Washington, D.C. 20231.

Melanie Reese Capps Date: April 3, 2001 Printed Name of Person Mailing Paper or Fee

Molanie Kesse Capps
Signature of Person Mailing Paper or Fee

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF:

Dr. Shiyou Li

SERIAL NO. 09/696042

FILED: October 25, 2000

TITLE: A SYSTEM FOR INCREASING

THE PRODUCTION OF INDOLE AND QUINOLINE ALKALOIDS,

PARTICULARLY

CAMPTOTHECINS AND RELATED§

COMPOUNDS, FROM PLANTS

Mashington, D.C. 20231

ATTY DKT NO. 44980-00005

GROUP ART UNIT: 1614

EXAMINER: Unassigned

EXPRESS MAIL CERTIFICATE (37 C.F.R §1.10)

"Express Mail" Label Number: EL505155612US

I hereby certify that this INFORMATION DISCLOSURE STATEMENT and all of the attachments identified thereon are being deposited with the United States Postal Service in an envelope as "Express Mail Post Office to Addressee" addressed to: BOX PATENT APPLICATION, Commissioner for Patents, Washington, D.C. 20231.

Date: Upril 3, 200

Melanie Reese Capps

Printed Name of Person Mailing Paper or Fee

Signature of Person Mailing Paper or Fee

Dear Sir:

INFORMATION DISCLOSURE STATEMENT

In accordance with Applicant's duty under 37 C.F.R. § 1.56 and 1.97, Applicant hereby submits the attached form PTO-1449 (modified) which lists art cited. The art listed therein, while of some relevance, is not necessarily considered to teach or suggest any aspect of the invention described and claimed in the above-identified patent application. This statement is also not to be construed as a representation that a search has, or has not, been conducted or that no better art exists.

Ather, this statement discloses only the best art of which the Applicant is aware.

In considering the art set forth below, it may be noted by the Examiner that certain of the errences may contain markings, underlinings or other notations. These markings or notations are not to be construed as drawing the Examiner's attention either to selected parts or away from other parts of the references. Any such markings were either present on the copies of the references obtained by Applicant, or were made thereon during the study of the references by the Applicant and/or his attorneys.

The Examiner is respectfully requested to consider each of the cited references, indicate such consideration by initialing each reference on the enclosed Form PTO-1449 (modified) and return a copy of the same with the next communication to the Applicant. For the convenience of the Examiner in considering the references, copies of the cited references are enclosed with this communication.

Dated: April 3, 2001

JENKENS & GILCHRIST A Professional Corporation 1445 Ross Avenue, Suite 3200

Dallas, Texas 75202-2799

Alan R. Thiele, Regis. No. 30,694

Patent Attorney

Tel. (210) 246-5657 Fax (210) 246-5999

Induced-Trichome/Chemicals in Other Plants

- Agrawal, A.A. 1998. Induced responses to herbivory and increased plant performance. Science 279: 1201-1202.
- Baldwin, I.T. 1988a. The alkaloidal responses of wild tobacco to real and simulated herbivory. Oecologia 77: 378-381.
- Baldwin, I.T. 1988b. Damage-induced alkaloids in tobacco: pot-bound plants are not inducible. Journal of Chemical Ecology 14(4): 1113-1120.
- Baldwin, I.T. 1988c. Short-term damage-induced increases in tobacco alkaloids protect plants. Oecologia 75: 367-370.
- Baldwin, I.T. 1989. Mechanism of damage-induced alkaloid production in wild tobacco. Journal of Chemical Ecology 15(5): 1661-1680.
- Baldwin, I.T. 1991. Damage-induced alkaloids in wild tobacco. In Phytochemical induction by herbivores, pp. 47-69, eds. By D.W. Tallamy and M.J. Raupp. John Wiley & Sons, Inc., New York.
- Beier, R.C. and E.H. Oertli. 1983. Psoralen and other linear furocumarins as phytotalexins in celery. Phytochemistry 22: 2595-2597.
- Bentley, N.D. Johnson, and L. Rigney. 1987. Short-term induction in leaf tissue alkaloids in lupines following experimental defoliation. American Journal of Botany 74:646.
- Bhaumik, C. and P.C. Datta. 1989. Hormonal effect on mentholic gland initiation. Indian Biologist 21(1): 55-57.
- Bosabalidis, A.M. and F. Exarchou. 1995. Effect of NAA and GA3 on leaves and glandular trichomes of *Origanum* x *intercedens* Rech: Morphological and anatomical features. International Journal of Plant Science 156(4): 488-495.
- Bryant, J.P., F.S. Chapin, and D.R. Klein. 1983. Carbon/nutrient balance of boreal plants in relation to vertebrate herbivory. Oikos 40:357-368.
- Cen, Y.P. and J.F. Bornman. 1993. The effects of exposure to enhanced UV-B radiation on the penetration of monochromomatic and polychromatic UV-B radiation in leaves of *Brassica napus*. Physiologia Plantarum87: 249-255.
- Ceska, O., S. chaudhary, P. warrington, G. Poulton, and M. Ashwood-Smith. 1986. Naturally-occuring crystals of photocarcinogenic furocumarins on surface of parsnip roots sold as food. Experientia 42: 1302-1304.
- Chapell, J. and K. Hahlbrock. 1984. Transcription of plant defence genes in response to UV light or fungi elicitor. Nature 311: 76-78.
- Chapin, F.S. 1991. Integrated responses of plants to stress. Bioscience 41: 29-36.
- Chaves, N., J. C. Escudero, and C. Gutierrez-Merino. 1997. Role of ecological variables in the seasonal variation of flavonoid content of *Cistus ladanifer* exudate. Journal of Chemical Ecology 23(3): 579-603.
- Chien, J.C. and I.M. Sussex. 1996. Differential regulation of trichome formation on the adaxial and abaxial leaf surfaces by gibberellins and photoperiod in *Arabidopsis thaliana* (L.) Heynh. Plant Physiology 111:1321-1328.
- Coleman, J.S. and C.G. Jones. 1991. A phytocentric perspective of phytochemical induction by herbivores. In Phytochemical induction by herbivores, pp. 3-45, eds. By D.W. Tallamy and M.J. Raupp. John Wiley & Sons, Inc., New York.

- Croteau, R. and M.A. Johnson. 1984. Biosynthesis of terpenoids in glandular trichomes. In Rodriguez, E., P.L. Healey, and I. *Mentha* (eds.), Biology and chemistry of plant trichomes, pp. 133-185. Plenum Press, New York and London.
- Dickson, R.E. and J.G. Isebrands. 1991. Leaves as regulators of stress response. In H.A. Mooney, W.E. Winner, and E.J. Pell (eds.), Response of plants to multiple stresses, pp.3-34. Academic Press, San Diego, New York, Boston, London, Sydney, Tokyo, Toronto.
- Doss, R.T. 1984. Role of glandular scales of lepidote rhododendrons in insect resistance. Journal of Chemical Ecology 10(12): 1787-1798.
- El-Keltawi, N.E. and R. Croteau. 1986a. Influence of ethephon and daminozide on growth and essential oil content of peppermint and sage. Phytochemistry 25: 1285-1288.
- El-Keltawi, N.E. and R. Croteau. 1986b. Influence of phosfon D and cycocel on growth and essential oil content of sage and peppermint. Phytochemistry 25: 1603-1606.
- El-Keltawi, N.E. and R. Croteau. 1987. Influence of foliar applied cytokinins on growth and essential oil content of several members of the Lamiaceae. Phytochemistry 26: 891-895.
- Fowler, S.V. and J.H. Lawton. 1985. Rapidly induced defenses and talking trees: the devil's advocate position. American Naturalist 126: 181-195.
- Gantet, P., N. Imbault, M. Thiersault, and P. Doireau. 1998. Necessity of a functional octadecanoic pathway for indole alkaloid synthesis by *Catharanthus roseous* cell suspensions cultured in an auxin-starved medium. Plant and Cell Physiology 39(2): 220-225.
- Gershenzon, J., M. Maffei, R. Croteau. 1989. Biochemical and histochemical localization of monoterpene biosynthesis in the glandular trichomes of spearmint (*Mentha spicata*). Plant Physiology 89: 1351-1357.
- Gianfagna, T.J., C.D. Carter, and J.N. Sacalis. 1992. Temperature and photoperiod influence trichome density and sesquiterpene content of *Lycopersicon hirsutum* f. *hirsutum*. Plant Physiology 100: 1403-1405.
- Good, D.E. and J.C. Snyder. 1988. Seasonal variation of leaves and mite resistance of *Lycopersicon* interspecific hybrids. Hort-Science 23: 891-894.
- Grammatikopoulous, G. and Y. Manetas. 1994. Direct absorption of water by hairy leaves of *Phlomis fruticosa* and its contribution to drought avoidance. Canadian Journal of Botany 72: 1805-1811.
- Hanson, A.D. and R.E. Tully. 1979. Light stimulation of proline synthesis in water-stressed barley leaves. Planta 145: 45-51.
- Haslam, E. 1986. Secondary metabolism: fact and fiction. Natural Product Reports 3:217-249.
- Hoffman, A., C. Shock, and E. Feibert. 1999. Taxane and ABA production in yew under different soil water regimes. HortScience 34(5): 882-885.
- Hulskamp, M., S. Misera, and G. Jurgens. 1994. Genetic dissection of trichome cell development in Arabidopsis. Cell 76: 555-556.
- Johnson, N.D., L. Rigney, and B.L. Bentley. 1989. Short-term changes in alkaloid levels following leaf damage in lupines with and without symbiotic nitrogen fixation. Journal of Chemical Ecology 15: 2425-2434.

Kangasjarvi, J., J. Talvinen, M. Utriainen, and P. Karjalainen. 1994. Plant defence systems induced by ozone. Plant, Cell and Environment 17: 783-794.

Karabourniotis, G. and J.F. Bornman. 1999. Penetration of UV-A, UV-B and blue light through the leaf trichome layers of two xeromorphic plants, olive and oak, measured by optical fibre microprobes. Physiologia Plantarum 105: 655-661.

Karabourniotis, G., D. Kotsabassidis, and Y. Manetas. 1995. Trichome density and its protective potential against ultraviolet-B radiation damage during leaf development. Canadian Journal of Botany 73: 376-383.

Karabourniotis, G, G. Kofidis, C. Fasseas, V. Liakoura, and I. Drossopoulos. 1998. Polyphenol deposition in leaf hairs of *Olea europaea* (Oleaceae) and *Quercus ilex* (Fagaceae). American Journal of Botany 85(7): 1007-1012.

Karban, R. and I.T. Baldwin. 1997. Induced responses to herbivory. The University of Chicago Press, Chicago and London.

- Keene, C.K. and G.J. Wagner. 1985. Direct demonstration of duvatrienediol biosynthesis in glandular heads of tobacco trichomes. Plant Physiology 79: 1026-1032.
- Kennedy, B.S., M.T. Nielsen, R.F. Severson, V.A. Sisson, M.K. Stephenson, and D.M., Jackson. 1992. Leaf surface chemicals from *Nicotiana* affecting germination of *Peronospora tabacina* (Adam) sporangia. Journal of Chemical Ecology 18: 1467-1479.
- Kennedy, G.G., R.T. Yamamoto, M.B. Dimock, W.G. Williams, and J. Bordner. 1981. Effect of day length and light intensity on 2-tridecanone levels and resistance in *Lycopersicon hirsutum* f. glabratum to Manduca Sexta. Journal of Chemical Ecology 7: 707-716.

Kim, E. and P.G. Mahlberg. 1997. Immunochemical localization of tetrahydrocannabinol (THC) in cryofixed glandular trichomes of *Cannabis* (Cannabaceae). American Journal of Botany 84(3): 336-342.

Kitch, L.W., R.E. Shade, W.E. Nyquist, and J.D. Axtell. 1985. Inheritance of density of erect glandular trichomes in the genus *Medicago*. Crop Science 25: 607-611.

Larkin, J.C., N. Young, M. Prigge, and M.D. Marks. 1996. The control of trichome number and spacing in *Arabidopsis*. Development 122: 997-1005.

Levin, D. A. 1973. The role of trichomes in plant defense. The Quarterly Review of Biology 48:3-15.

Lyons-Johnson, D. 1999. Understanding sugar transport in plants. Agriculture Research March: 9.

Marks, M.D., D.G. Oppenheimer, and E. Garon. 1996. Analysis of clonal sectors of altered epidermis on EMS treated *Arabidopsis* plants. Weeds World 2:1-5.

McKey, D. 1974. Adaptive patterns in alkaloid physiology. American Naturalist 108: 305-320.

Mizusaki, S., Y. Tanabe, M. Roguchi, and E. Tamaki. 1973. Changes in the activities of ornithine decarboxylase, putrescine *N*-methyltransferase and *N*-methylputrescine oxidase in tobacco roots in relation to nicotine biosynthesis. Plant Cell Physiology 14: 103-110.

Mutikainen, P. and M. Walls. 1995. Growth, reproduction, and defence in nettles: Responses to herbivory modified by competition and fertilization. Oecologia 104(4): 487-495.

- Nagata, T., S. Todoriki, T. Hayashi, Y. Shibata, M. Mori, H. Kanegae, and S. Kikuchi. 1999. γ-Radiation induces leaf trichome formation in *Arabidopsis*. Plant Physiology 120:113-119.
- Neuvonen, S. and E. Haukioja. 1991. The effects of inducible responses in host foliage on birch feeding herbivores. In Phytochemical induction by herbivores, pp. 277-291, eds. By D.W. Tallamy and M.J. Raupp. John Wiley & Sons, Inc., New York
- Nitao, J.K. 1988. Artificial defloration and furanocoumarin induction in *Pastinaca sativa* (Umbellifere). Journal of Chemical Ecology 14(6): 1515-1521.
- Owuor, P.O. and J.K.A. Langat. 1988. Changes in chemical composition of black tea due to pruning. Tropical Science 28: 127-132.
- Panagopoulos, I., J.F. Bornman, and L.O. Bjorn. 1992. Response of sugar beet plants to ultraviolet-B (280-320 nm) radiation and *Cercospora* leaf spot disease. Physiologia Plantarum 84: 140-145.
- Pasquali, G., O.J.M. Goddijn, A. de Waal, R. Verpoorte, R.A. Schilperoort, J.H.C. Hoge, and J. Memelink. 1992. Coordinated regulation of two indole alkaloid biosynthetic genes from *Catharanthus roseus* by auxin and elicitors.
- Perazza, D., G. Vachon, and M. Herzog. 1998. Gibberellins promote trichome formation by up-regulating GLABROUS1 in *Arabidopsis*. Plant Physiology 117(2): 375-383.
- Pesci, P. 1992. Effects of light on abscisic acid-induced proline accumulation in leaves: comparison between barley and wheat. Physiologia Plantarum 86: 209-214.
- Quarrie, S.A. and H.G. Jones. 1977. Effects of abscisic acid and water stress on development and morphology of wheat. Journal of Experimental Botany 28: 192-203.
- Ralphs, M.H. and C. Williams. 1988. Alkaloid response to defoliation of velvet lupine (*Lupinis leucophyllus*). Weed Technology 2: 429-432.
- Raven, P.H., R.F. Evert, and H. Curtis. 1981. Biology of plants. Pp 501-517. Worth Publishers, Inc. New York.
- Reichling, J., H. Becker, and A. Vomel. 1977. Herbizide im Kamillenanbau (*Matricaria chamomilla*). Planta Medica 32: 235-242.
- Roy, B.A., M.L. Stanton, and S.M. Eppley. 1999. Effects of environmental stress on leaf hair density and consequences for selection. Journal of Evolutionary Biology 12: 1089-1103.
- Skaltsa, H., E. Verykokidou, C. Harvala, G. Karabouniotis, and Y. Manetas. 1994. UV-B protective potential and flavonoid content of leaf hairs of *Quercus ilex*. Phytochemistry 37: 987-990.
- Snyder, J.C. and J.P. Hyatt. 1984. Influence of daylength on trichome densities and leaf volatiles of *Lycopersicon* species. Plant Science Letters 37: 177-181.
- Stahl, E. and A. Wollensah. 1986. Observations on the function of the glandular hairs of yarrow: 4th report: effects of selective herbicides on the glandular hairs and tissue of the florets. Journal of Plant Physiology 122: 93-96.
- Strauss, E. 1999. RNA molecules may carry long distance signals in plants. Science 283(5398): 12-13.
- Tiburcio, A.F., R. Kaur-Sawhney, and A.W. Galston. 1985. Correlation between polyamines and pyrrolidine alkaloids in developing tobacco callus. Plant Physiology 78: 323-326.

- Tingey, W.M., and J.E. Laubengayer. 1981. Defense against the green peach aphid and potato leafhopper by glandular trichomes of *Solanum berthaultii*. Journal of Economic Entomology 74: 721-725.
- Valentine, H.T., W.E. Wallner, and P.M. Wargo. 1983. Nutritional changes in host foliage during and after defoliation, and their relation to the weight of gypsy moth pupae. Oecologia 57: 298-302.
- van Dam, N.M., R. Verpoorte, and Ed van Der Meijden. 1994. Extreme differences in pyrrolizidine alkaloid levels between leaves of *Gynoglossum officinale*. Phytochemistry 37: 1013-1016.
- Van Sumere, C.F., H. Geiger, D. Bral, G. Fockenier, K. Vande Casteele, M. Martens, R. Hanselaer, and L. Gevaert. 1983. Freeze-drying and analysis of plant and other biological material. Analytical Biochemistry 131: 530-532.
- Wagner, G.J. 1991. Secreting glandular trichomes: more than just hairs. Plant Physiology 96: 675-679.
- Wagner, M.R. and P.D. Evans. 1985. Defoliation increases nutritional quality and allelochemics of pine seedlings. Oecologia 67: 235-237.
- Wellso, S.G. and R.P. Hoxie. 1982. The influence of environment on the expression of trichomes in wheat. Crop Science 22: 879-885.
- Wink, M. 1985. Chemical defense of lupins: biological function of quinolizidine alkaloids. Plant Systematics and Evolution 150: 65-81.
- Wink, M. 1987. Chemical ecology of quinolizidine alkaloids. In Alleochemicals: Role in Agriculture and Forestry, ed. By G.R. Waller, pp. 523-533. American Chemical Society, Washington, D.C.
- Wold, E.N. and R.J. Marquis. 1997. Induced defense in white oak: effects on herbivores and consequences for the plant. Ecology 78(5): 1356-1369.
- Zangerl, A.R. and F.A. Bazzaz. 1992. In Plant resistance to herbivoves and pathogens, eds. by S. Fritz and E.L. Simms. P. 363. University of Chicago Press, Chicago.
- Ziska, L.H., A.H. Teramura, J.H. Sullivan, and A. McCoy. 1993. Influence of ultraviolet-B (UV-B) radiation on photosynthetic and growth characteristics in field-grown cassava (*Manihot esculentum* Crantz). Plant, Cell and Environment 16: 73-79.

General

- Li, S.Y. and K.T. Adair. 1994. Camptotheca acuminata Decaisne, Xi Shu, a promising anti-cancer and anti-viral tree for the 21st century. 268 pp. A Henry M. Rockwell monograph, Stephen F. Austin State University, Nacogdoches.
- Li, S.Y. et al. 2000. Anti-cancer happytrees (Camptotheca Decaisne). Research Report (unpublished)

Morphology, Taxonomy, Geography, and Ecology of Camptotheca

Chen, L. J., F. H. Wang, and Y. R. Wu. 1991. The pollination biology of Camptotheca acuminata Decne. (Nyssaceae). Cathaya 3: 45-52.

Cheng, J. Q., J. J. Liu, and P. Liu. 1992. Woods of China. China Forestry Press, Beijing.

(Chinese)

- Decaisne, J. 1873. Caracters et descriptions de trois genres nouveaux de plants recueilles en Chine par L'abbe A. David. Bulletin de la Société Botanique de France 20: 155-160.
- Dode, L. A. 1908. Abbores et frutices novi. Bulletin de la Société Botanique de France 55: 651.
- Eyde, R. H. 1963. Morphological and paleobotanical studies of the Nyssaceae. I. The modern species and their fruits. Journal of the Arnold Arboretum 44: 1-59.
- Fang, W. P. and T. P. Soong. 1975. Praecursores flora Nyssacearum Sinensium. Acta Phytotaxonomy Sinica13: 83-89. (Chinese)
- Fang, W. P. and Z. R. Zhang (eds.). 1983. Flora Reipublicae Popularis Sinicae, Vol. 52(2). Science Press, Beijing. (in Chinese)
- Li, S.Y. 1997. Camptotheca lowreyana, a new species of anti-cancer happytrees. Bulletin of Botanical Research 17(3): 348-352.
- Luo, L. C. 1989. Woods of economic trees in Yunnan. Yunnan People Press, Kunming. (in Chinese)
- Manchester, S. R., P. R. Crane, and L. B. Golovneva. 1999. An extinct genus with affinities to extant Davidia and Camptotheca (Cornales) from the Paleocene of North America and eastern Asia. International Journal of Plant Science 160(1):188-207.
- Metcalfe, C. R. and L. Chalk. 1957. Anatomy of the dicotyledons. Vol. 2. Oxford: Clarendon Press.
- Sohma, K. 1963. Pollen morphology of the Nyssaceae, I. Nyssa and Camptotheca. Scientific Reports of Tohoku University Series IV (Biology) 29: 389-392.
- Suzuki, M. 1976. Two new species of nyssaceous fossil woods from the palaeogene of Japan. Journal of Japanese Botany 50: 228-238
- Tanai, T. 1977. Fossil leaves of the Nyssaceae from the Miocene of Japan. Journal of Faculty of Science Hokkaido University IV. Geology and Mineralogy 17: 505-516.
- Yang, B. M. and L. D. Duan. 1988. One new plant of Nyssaceae from Hunan. Natural Science Journal of Hunan Normal University 11: 63-64. (Chinese)
- Ying, T. S. Y. L. Zhang, and D. E. Boufford. 1993. The endemic genera of seed plants of China. Beijing: Science Press.
- Zhang, R.H. et al. 1993. Morphology of major tree seedlings of China. Science Press, Beijing (Chinese).

CPT Analysis of Camptotheca

- Adamovics, J.A., J.A. Cina, and R. Hutchinson. 1979. Minor alkaloids of *Camptotheca acuminata*. Phytochemistry 18: 1085-1086.
- Buta, J.G. and M.J. Novak. 1978. Isolation of camptothecin and 10 methoxycamptothecin from *Camptotheca acuminata* by gel permedation chromatography. Ind. Eng. Chem. Prod. Res. Dev. 17(2):160-161.
- Hsu, J.S., T.Y. Chao, L.T. Lin, and C.F. Hsu. 1977. Chemical constituents of the anticancer plant *Camptotheca acuminata* Decne. II. Chemical constituents of the fruits of *Camptotheca acuminata* Decne. Acta Chimica Sinica 35: 193-200.
- Lin, L.Z. and G.A. Cordell. 1989. Quinoline alkaloids from *Camptotheca acuminata*. Phytochemistry 28(4): 1295-1297.
- Lin, L.Z. and G.A. Cordell. 1990. 19-O-methylangustoline from *Camptotheca acuminata*. Phytochemistry 29(8): 2744-2746.
- Tien, H.J., J.M.Tien, M.Y. Yeh, T.S. Wu, and C.M. Huang. 1977. Studies on the constituents of *Camptotheca acuminata* Done (I). The constituents of leaves. Chemistry 1977(2): 51-54.
- Wall, M.E., M.C. Wani, C.E. Cook, K.H. Palmer, A.T. McPhail, and G.A. Sim. 1966. Plant antitumor agents. I. The isolation and structure of Camptothecin, a novel alkaloidal leukemia and tumor inhibitor from Camptotheca acuminata. Journal of American Chemical Society 88: 3888-3890.
- Wani, M.C. and M.E. Wall. 1969. Plant anti-tumor agents. II. The structure of two new alkaloids from Camprotheca acuminata. The Journal of Organic Chemistry 34(5):1364-1367.

Plant Physiology of Camptotheca

- Burnett, R.J., I.E. Maldonado-Mendoza, T.D. McKnight, and C.L. Nessler. 1993. Expression of a 3-hydroxy-3-Methylglutaryl coenzyme a reductase gene from Camptotheca acuminata is differently regulated by wounding and methyl jasmonate. Plant Physiology 103: 41-48.
- Buta, J. G. and J. F. Worley. 1976. Camptothecin, a selective plant growth regulator. Journal of Agriculture and Food Chemistry 24(5): 1085-1086.
- Jain, A.K. and C.L. Nessler. 1996. Clonal propagation of Camptotheca acuminata through shoot bud culture. Plant Cell, Tissue and Organ Culture 44: 229-233.
- Liu, Z. and J. Adams. 1996. Camptothecin yield and distribution within *Camptotheca acuminata* trees cultivated in Louisiana. Canadian Journal of Botany 74: 360-365.
- Liu, Z. and J. Adams. 1998. Seed source variation in camptothecin concentrations of nursery-grown *Camptotheca acuminata* seedlings. New Forests 16: 167-175.
- Liu, Z., S.B. Carpenter, and R.J. Constantin. 1997. Camptothecin production in *Camptotheca acuminata* seedlings in response to shading and flooding. Canadian Journal of Botany 75: 368-373.
- Liu, Z., S.B. Carpenter, W.J. Bourgeois, Y. Yu, R.J. Constantin, M.J. Falcon, and J.C. Adams. 1998. Variations in the secondary metabolite camptothecin in relation to tissue age and season in *Camptotheca acuminata*. Tree Physiology 18: 265-270.
- Liu, Z., J.C. Adams, H.P. Viator, R.J. Constantin, and S.B. Carpenter. 1999. Influence of soil fertilization, plant spacing, and copping on growth, stomatal conductance, abscisic acid, and camptothecin levels in *Camptotheca acuminata* seedlings. Physiologia Plantarum 105: 402-408.
- Lopez-Meyer, M., C. L. Nessler, and T.D. McKnight. 1994. Sites of accumulation of the antitumor alkaloid camptothecin in *Camptotheca acuminata*. Planta Medica 60:558-560.
- Lu, H., D. Henning, K. Patel, L. Brown, T. Toeh, and T.D. McKnight. 1996. Molecular biology of camptothecin production. Plant Physiology (abstract): 618.
- Mcknight, T. D. and D. D. Henning. 1994. Camptothecin, an anti-cancer alkaloid from Camptotheca acuminata (Nyssaceae). Pp. 149-158 in Conservation of plant genes II: Utilization of ancient and modern DNA, eds. R. P. Adams, J. S. Miller, E. M. Golenberg, and J. E. Adams. Missouri Botanical Garden, St. Louis, Missouri.
- Yao, J.X. et al. 1997. Superiority of Camptotheca acuminata seedlings. Journal of Zhejiang Forestry College 14: 134-141. (Chinese)
- Zhou, Y.X. 1989. Study on the characteristics of seed dormancy and germination of Camptotheca acuminata. Forestry Technical Newsletter 8: 22-25. (Chinese)

Plant Management of Camptotheca

- Cao, G.R., J.X. Gao, D.X. Duan, S.J. Li, and K. Wang. 1992. Studies on *Camptotheca acuminata* leaves: main toxic principle, poisoning, and treatment in goats. In L.F. James *et al.* (eds.), Poisoning Plants: Proceedings of the Third International Symposium; pp. 506-508. Iowa State University Press, Ames.
- Editorial Committee of Chinese Flora of Woody Plants. 1983. Silviculture of major Chinese afforestation species. China Forestry Press, Beijing. (in Chinese)
- Forestry Department of Guangxi and Guangxi Association for Foresters. 1980. Silviculture of hardwoods. Guangxi People's Press, Nanning. (in Chinese)
- Perdue, R.E. 1970. Chinese tree yield cancer-inhibiting drug. ? May-June.
- Perdue, R.E., R.L. Smith, M.E. Wall, J.L. Hartwell, and B.J. Abbot. 1970. *Camptotheca acuminata* Decaisne (Nyssaceae) source of camptothecin, and antileukemic alkaloid. Agricultural Research Series, USDA Techinical Bulletin No. 1415.
- Perdue, R. E. 1968. *Camptotheca acuminataæ* Source of promising cancer drug. Lasca Leaves September: 55-59.
- Perdue, R. E., M. E. Wall, J. L. Hartwell, et al. 1968. Comparison of the activity of crude *Camptotheca acuminata*, ethanolic extracts against lymphoid leukemia L-1210. Lloydia 31: 299.
- Smith, R. L. 1969. *Camptotheca acuminata*, biography of camptothecin, a promising cancer drug. Lasca Leaves 9-10: 55-59.
- Vincent, R.M., M. Lopez-Meyer, T.D. McKnight, and C.L. Nessler. 1997. Sustained Harvest of camptothecin from the leaves of *Camptotheca acuminata*. Journal of Natural Products 60: 618-619.
- Yang, S. Z. and D. M. Wang. 1979. *Camptotheca acuminata* Decne. Yunnan Forestry Science and Technology 1979(2-3): 22-27. (in Chinese)

Pruning in Other Plants

- Bedker, P.J., J.G. O'Brien, and M.E. Mielke. 1995. How to prune trees. NA-FR-01-95, Forest Service, USDA.
- Cook, A.D. (ed.). 1991. Pruning techniques. Brooklyn Botanical Garden, Brooklyn. Medic, K. 1995. Rodale's successful organic gardening: Pruning. Rodale Press,

Emmaus.

Wade, G.L. and R.R. Westerfield. 1999. Basic principles of pruning woody plants. Cooperative Extension Services, College of Agriculture & Environmental Sciences, University of Georgia, Athens.

Mechanism of CPTs as Anti-cancer Drugs

- Deng, C. Z., S. Abubaker, M. P. Fons, I. Boldogh, and T. Albrecht. 1992. Modulation of the frequency of human cytomegalovirus-induced chromosome aberrations by camptothecin. Virology 189: 397-401.
- Liu, L.L., P. Duann, C.T. Lin, P. D'arpa, and J. Wu. 1997. Mechanism of action of camptothecin. Annuals of the New York Academy of Sciences 803: 44-49.
- Priel, E., E. Aflalo, G. Chechelnitsky, D. Benharroch, M. Aboud, and S. Segal. 1993. Inhibition of retrovirus-induced disease in mice by camptothecin. Journal of Virology 67: 3624-3629.
- Slichenmyer, W.J., E.K. Rowinsky, R.C. Donehower, and S.H. Kaufmann. 1993. The current status of camptothecin analogues as antitumor agents. Journal of the National Cancer Institute 85(4): 271-291.

Preservation of Plant Matters (Non-camptotheca Plants)

- Craig, S. and L. A. Staehelin. 1988. High pressure freezing of intact plant tissues. Evaluation and characterization of novel features of endoplasmic reticulum and associated membrane systems. European Journal of Cell Biology 46: 80-93.
- Hagerman, A.E. 1988. Extraction of tannin from fresh and preserved leaves. Journal of Chemical Ecology 14: 453-461.
- Orians, C.M. 1995. Preserving leaves for tannin and phenolic glycoside analysis: A comparison of methods using three willow taxa. Journal of Chemical Ecology 21(9): 1235-1243.
- Studer, D., H. Hennecke, and M. Muller. 1992. High-pressure freezing of soybean nodules leads to an improved preservation of ultrastructure. Planta 188: 155-163.

Ethnic Uses of Camptotheca

- Anonymous. 1981. Major economic trees in Hunan. Hunan Science and Technology Press, Changsha (Chinese)
- Ran, X. D. (ed.). 1993. Zhong Hua Yao Hai (encylopaedia of Chinese herbs). Harbin Press, Harbin. (Chinese)
- Yang, C. L., ed. 1993. Poisonous herbs. China Press of Traditional Chinese Medicine, Beijing. (Chinese)
- Yu, Z. X. and J. D. Hao. 1984. Culture and utilization of medicinal trees. China Forestry Press, Beijing (Chinese).
- Zhejiang Bureau of Health. 1972. Zhejiang Min Jian Chang Yong Cao Yao. Zhejiang People's Health Press, Hangzhou (Chinese).